

PROCEEDINGS OF THE FOURTH  
INTERNATIONAL CONGRESS OF  
ETHNOBOTANY  
(ICEB 2005)

21-26 August 2005  
Istanbul - Turkey

“Ethnobotany: At the Junction  
of the Continents and the Disciplines”

Hosted and sponsored by  
Yeditepe University

Edited by  
Z. Füsün ERTUĞ

(Offprint)



Y A Y I N L A R I

2006

Proceedings of the IVth International Congress of Ethnobotany  
(ICEB 2005)  
Yeditepe University  
Istanbul, 21-26 August 2005

ISBN: 975-807-153-X  
© 2006 Ege Yayınları

Edited by  
Z. Füsün Ertuğ

Graphic design  
Hülya Tokmak  
Zero Prod. Ltd.

Cover design  
Ender Yeşildağ

Printed by  
Mas Matbaacılık A.Ş.

First Edition  
November 2006, Istanbul

Proceedings of the Fourth International Congress of Ethnobotany (ICEB 2005)  
Yeditepe University, Istanbul 21-26 August 2005, Z. F. Ertuğ ed.,  
Ege Yayınları, Istanbul, 2006.

All rights reserved. No part of this book may be used or reproduced  
in any manner without written permission of the publisher and the authors.

Publication and Distribution  
Zero Prod. Ltd.  
Arslan Yatağı Sok. Sedef Palas, 35/2 Cihangir 34433 Istanbul-Turkey  
Tel: +90 (212) 244 75 21 - 249 05 20 Fax: +90 (212) 244 32 09  
e-mail: info@zerobooksonline.com  
**www.zerobooksonline.com**

## Table of Contents

Table of Contents .....	iii
Organizers of ICEB 2005 .....	xi
A Brief History of the ICEB .....	xii
Panel and Workshop Descriptions .....	xiii
Foreword and Acknowledgements .....	xvii
<b>PLENARIES</b>	
Montserrat GISPERT CRUELLES	
A novel approximation to the alimentary culture from an ethnobotanical perspective .....	1
Vernon H. HEYWOOD	
Biodiversity, global change and human health .....	9
Ghilleen T. PRANCE	
Some current challenges facing the indigenous peoples of South America .....	21
Nancy J. TURNER	
Lessons from the grandmothers: Women's roles in traditional botanical knowledge and wisdom in Northwestern North America .....	27
<b>PANEL 1: Ethnobotanical Studies of Wild Plant Foods</b>	
Achille Ephrem ASSOGBADJO, E. DE CALUWÉ, Brice SINSIN, J.T.C. CODJIA, Patrick VAN DAMME	
Indigenous knowledge of rural people and importance of baobab tree ( <i>Adansonia digitata</i> L.) in Benin .....	39
Manuel PARDO-DE-SANTAYANA, Javier TARDÍO, Ana Maria CARVALHO, Juan José LASTRA, Elia SAN-MIGUEL, Emilio BLANCO, and Ramón MORALES	
Diversity and selection of wild food plants in six regions of Northwestern Iberian Peninsula (Spain and Portugal) .....	49
Nancy J. TURNER	
From the roots: Indigenous root vegetables of British Columbia, their management and conservation .....	57
Gisella CRUZ GARCÍA	
Children's knowledge and valuation of wild food plants: The influence of an educational program with tribal and non-tribal children in Western Ghats, India .....	65
Luís S. DIAS and Alexandra S. DIAS	
Herbs and spices in traditional recipes of Alentejo (Portugal) .....	69
M. en C. Argelia DÍAZ RICO	
Ethnobotany of nourishing plants cultivated and utilized by the ethnic group Mixteco in Tepunte, Guerrero State, Mexico .....	73
Judith ESPINOSA-MORENO, Dora CENTURION-HIDALGO, Jaime Gabriel CAZARES-CAMERO	
Edible weeds associated to agricultural plots in Tacotalpa, Tabasco, Mexico .....	77
Ian C. FITZPATRICK	
A study of recognition, transmission, and use of wild-food plants in two Wichí communities of the Argentine Chaco .....	79

Peter GIOVANNINI Management, biology and cultural importance of a wild food species in the Tehuacán Cuicatlán Valley, Mexico: The case of <i>Enterolobium cyclocarpum</i> .....	83
Müberra KOŞAR, Mehmet KOYUNCU, and K.Hüsnü Can BAŞER Folk use of some wild and cultivated <i>Allium</i> species in Turkey .....	87
Şinasi YILDIRIMLI and Aslı DOĞRU KOCA Uses of some Turkish <i>Asparagus</i> and <i>Tamus</i> species as food .....	91
Ersin YÜCEL and Gülçin YILMAZ Consumption ways of some <i>Rumex</i> species as food in Turkey .....	93
<b>PANEL 2: Ethnobotanical Studies on Medicinal and Aromatic Plants</b>	
Paul HERSCH-MARTINEZ Current challenges and scenarios regarding the integration of medicinal plants popular knowledge and formal health systems in Mexico .....	95
Narayan P. MANANDHAR Native phytotherapy among rural population of Nepal .....	101
María Rosa MARTINEZ, María Lelia POCHETTINO, Marta CRIVOS, Carolina REMORINI, and Anahí SY Gathering and circulation of medicinal plants in a pluricultural context (Misiones, Argentina) .....	107
Muhammad Ibrar SHINWARI and Maryum Ibrar SHINWARI Ethnobotany of medicinal and aromatic plants in Pakistan: An Overview .....	115
Paolo Emilio TOMEI, Rita Elisabetta UNCINI MANGANELLI, Serena TRIMARCHI, and Fabiano CAMANGI Ethnopharmacobotany in Italy: State of knowledge and prospect in the future .....	123
Duygu F. ALPARSLAN and Ertan TUZLACI The folk medicinal plants of the European part of Turkey .....	129
Kemal Hüsnü Can BAŞER, Gülendamar TÜMEN, Hulusi MALYER, and Neşe KIRIMER Plants used for common cold in Turkey .....	133
Rachid BELHATTAB, Georgios KALANTZAKIS, and Dimitrios BOSKOU Antioxidant activity and total phenolic content of two plants belonging to the Lamiaceae family: <i>Origanum glandulosum</i> Desf. and <i>Marrubium vulgare</i> L. ....	139
Gülşah ÇOBANOĞLU, Cenk SESAL, Yıldız AYDIN, Müşerref ÖZEREN MORGAN, and Zeki SEVEROĞLU The antimicrobial and the antifungal effects of some lichens with a potential medical and economic use in Turkey .....	143
Burcu ELÇİ-TARIKAHYA, Sadık ERİK, and Ziver BERKMAN Some anticarcinogenic plants and their usage in the Güdül District (Ankara-Turkey) .....	147
José Salvador FLORES GUIDO, Rita VERMONT-RICALDE, and Jesús KANTÚN Aromatic plants and their application in traditional medicine at the Mayan communities of the Yucatan Peninsula .....	151
Paolo Maria GUARRERA and Maria Lucia LEPORATTI Analogies and divergences in the use of medicinal plants in different areas of Central and Southern Italy .....	155
Maria Lucia LEPORATTI and Kamel GHEDIRA Popular phytotherapy in Italy and Tunisia, a preliminary comparison .....	159
Emi OKUYAMA, Samir Kumar SADHU, Shunsuke YAMAMOTO, Haruhiro FUJIMOTO, Masami ISHIBASHI, and Erdem YEŞİLADA Prostaglandin-inhibitory and antioxidant components of <i>Cistus laurifolius</i> , a Turkish medicinal plant .....	163

Serap ÖZ AYDIN, Tuncay DİRMENCİ, Gülendam TÜMEN, and Kemal Hüsnü Can BAŞER Plants used as analgesic in the folk medicine of Turkey .....	167
Johanna PUTSCHER and Christian R. VOGL An ethnobotanical survey on herbal medicine in Quito markets .....	173
Erika RIVERA-ARCE, X. LOZOYA, R. ALVARADO, E. ZÁRATE, J. AGÜERO, M. CHÁVEZ, and M. GATTUSO Ethnobotany and pharmacognosy of the Mexican Plant Drug: <i>Mimosae tenuiflorae</i> .....	177
G. Maria SALUD PÉREZ, Miguel A.S. ZAVALA, Daniel M. ZAVALA, and Cuauhtemoc G. PÉREZ Anti-diarrhoeal activity of <i>Chysactinia mexicana</i> .....	181
G. Maria SALUD PÉREZ, Miguel A.S. ZAVALA, Cuauhtemoc G. PÉREZ, and Daniel M. ZAVALA Anti-diarrhoeal effect of different extracts of <i>Bidens odorata</i> .....	185
Chandrakant B. SALUNKHE and N.K. DRAVID Little known medicinal uses of some flowering plants of Maharashtra, India .....	189
Cristina P. SÁNCHEZ ROJAS, M. Reyes GONZÁLEZ-TEJERO, José M. RAMIRO GUTIÉRREZ, M. CASARES PORCEL, and J. MOLERO MESA Ethnobotany in Sierra de Huelva (South Spain): Medicinal plants .....	193
Sara SANTOS, Ana I.D. CORREIA, A. Cristina FIGUEIREDO, Luís S. DIAS, and Alexandra S. DIAS The use of herbal remedies in urban and rural areas of the Setúbal Peninsula (Portugal): A study among elders .....	197
Fatih SATIL, Tuncay DİRMENCİ, and Gülendam TÜMEN The trade of wild plants that are named as <i>Thyme (kekik)</i> collected from Kazdağ .....	201
Muhammad Ibrar SHINWARI and Maryum Ibrar SHINWARI Ethnobotanical study of medicinal and aromatic plants of moist temperate Himalayas in Pakistan .....	205
Mitra TAGHIZADEH, Mohamad Reza SALEHI ALEA, and Mahshid TAGHIZADEH The efficacy of a herbal mouthwash on the control of gingivitis .....	209
Zeynep TUNALIER, Neşe KIRIMER, and K. Hüsnü Can BAŞER Demise of a 60-year old Turkish herbal medicine: Lityazol Cemil .....	213
Gülendam TÜMEN, Hulusi MALYER, K. Hüsnü Can BAŞER, and Serap ÖZ AYDIN Plants used in Anatolia for wound healing .....	217
<b>PANEL 3: Plant Use of Farmers and Pastoralists</b>	
Patricia C. ANDERSON Non-mechanised processing and storage of cereals, grasses and pulses used for fodder, fuel, food and crafts: Examples from N. Tunisia, Atlas Region, Northwestern Tell .....	223
Christian Christian BERTSCH, R. VOGL, and Carolina Joana DA SILVA Ethnoveterinary medicine for cattle and horses in the Northern Pantanal Matogrossense, Brazil .....	233
Jeanne T. GRADE and Patrick VAN DAMME Goat's self-medication against internal parasites in Karamoja, Uganda .....	241
Natesan PUNNIAMURTHY Ethno Veterinary Medicine (EVM): Use of fresh herbal extracts under field conditions for primary veterinary health care in India .....	249
Tedje VAN ASSELDONK and Helen BEIJER Herbal folk remedies for animal health in the Netherlands .....	257
Manuela MANCA and Tania MANCA Uses of plants by shepherds in working process of milk in the village of Bitti (Sardinia, Italy) .....	265
Jose MARTÍNEZ GONZÁLEZ and Juan Jose LASTRA MENÉNDEZ Ethnobotanical study of the cattle farmers profile in the Aller Valley (Asturias, Spain) .....	269

Antonio C. PERDOMO-MOLINA The use of local fig tree varieties ( <i>Ficus carica</i> L.) for animal feed purposes in the Canary Islands (Spain) .....	273
Ila SHRESTHA and Keshab SHRESTHA Medicinal plants in ethnoveterinary practices in Langtang National Park, Nepal .....	277
Lucia VIEGI, Simonetta BULLITTA, and Giovanna PILUZZA Traditional veterinary practices in some rural areas of Sardinia (Italy) .....	281
Lucia VIEGI, Ignazio CAMARDA, and Giovanni PIRAS Some aspects of ethnoveterinary medicine in Sardinia (Italy) .....	285
<b>PANEL 4: Reproduction and Transmission of Botanical Knowledge and Technology in Basketry and Plaited Artifact</b>	
Belle ASANTE Reviving sustainable plant-based crafts when recent trends favor synthetic fiber usage: Stylistic vicissitudes of Harari baskets in Ethiopia .....	289
Z. Füsün ERTUĞ An overview of the plaited crafts of Turkey (Anatolia and Thrace) .....	297
Dario NOVELLINO Weaving traditions from Island Southeast Asia: Historical context and ethnobotanical knowledge .....	307
Dario NOVELLINO An account of basket weaving and the use of fibre plants in the Mount Aurunci Regional Park (Central Italy) .....	317
Sonia A. VOUGIOUKALOU Weaving knowledge and weaving plants: What will survive the 21st century? .....	327
Ana Maria CARVALHO, Manuel PARDO-DE-SANTAYANA, and Ramón MORALES Traditional knowledge of basketry practices in a Northeastern Region of Portugal .....	335
Giovanni PIRAS Plant-derived utensils employed in traditional agro-pastoral activities in Northwest Sardinia, Italy .....	339
José M. RAMIRO GUTIÉRREZ, M. Ramirez GONZÁLEZ-TEJERO, and Cristina P. SÁNCHEZ-ROJAS Ethnobotany in Huelva province (Spain): Basketry and woodcarving .....	343
Javier TARDÍO, Laura ACEITUNO, and Ramón MORALES The use of plant-based brooms in the province of Madrid (Spain) .....	347
<b>PANEL 5: Biodiversity and Genetic Resources</b>	
Francisco BASURTO, Virginia EVANGELISTA, Myrna MENDOZA, and Miguel Angel MARTINEZ ALFARO Food fruits of home gardens and coffee plantations in the Sierra Norte de Puebla, Mexico .....	351
Nina L. ETKIN Wild plant management in rural Hausaland: Local ecological knowledge contributes to the conservation of biodiversity .....	359
Vernon H. HEYWOOD Human use of plant resources - the knowledge base and conservation needs .....	365
Amin U. KHAN Demonstrating the forgotten values of a threatened thorn forest community at an archaeological site: The case for popularizing values in an illustrative manner .....	373
Miguel Ángel SERRATO CRUZ and Juan Saúl BARAJAS PÉREZ <i>Tagetes filifolia</i> Lag.: A Mexican genetic resource .....	377

Rosa María FLORES-SERRANO, J. Salvador FLORES, Rosario ITURBE, and Guillermina PÉREZ Plant diversity and soil contamination (hydrocarbons and metals): A case study in Ciudad Madero, Tamaulipas, Mexico .....	383
<b>PANEL 6: Continuity and Change in Food and Medicine: Archaeobotany and the Written Record</b>	
Sabine BECKMANN Root, resin, red and ritual purification - The role of terebinth in Eastern Mediterranean Bronze Age cult .....	387
Aylen CAPPARELLI, M. Lelia POCHETTINO, Andreoni DIEGO, and Rubén D. ITURRIZA Differences between written and archaeological record: The case of plant micro remains recovered at a Northwestern Argentinean Pipe .....	397
Patricia A. CLARK Iatrosophia and oral traditions: A case study in Crete's Amari valley .....	407
Tracey LU The exploitation of Taro in South China .....	413
Peter J. MATTHEWS Written records of Taro in the Eastern Mediterranean .....	419
Fragkiska MEGALOUDI Kollyva and funeral bread offerings in Greece: The example of Thasos Island .....	427
Rolando M.D. NERI-VELA The Badianus Codex and Ophthalmology .....	431
Alexandra LIVARDA and Georgia KOTZAMANI Plant lore in 'Dark Age' Greece: Archaeobotanical evidence from Lefkandi, Euboea, literal sources and traditional knowledge combined .....	435
Emel OYBAK DÖNMEZ Plant use at Early Bronze Age Gre Virike (Şanlıurfa, Turkey) .....	439
<b>PANEL 7: Capturing Local Perceptions and Priorities of Ethnobotanical Resources</b>	
Lilian GONZALEZ-CHEVEZ and Paul HERSCH-MARTINEZ Medicinal ethnobotany and meaning construction. A semiotic analysis of plants through representations and practices of some illnesses from the Nahuatl culture of Guerrero, Mexico .....	443
Ramón MORALES, Manuel PARDO-DE-SANTAYANA, and Javier TARDÍO The perception of plants in the complete works of Cervantes, particularly "Don Quijote" .....	451
Manuel PARDO-DE-SANTAYANA and Elia SAN-MIGUEL The gender of plants according to popular nomenclature in the North of Spain .....	461
Miguel Ángel SERRATO-CRUZ <i>Cempoalxochitl</i> : A Mexican flower symbolizing the human .....	467
Barbara FRUTH and Musuyu MUGANZA Traditional use of wild rainforest plants by the Nkundo, Democratic Republic of Congo (DRC) .....	471
<b>PANEL 8: Gender Issues in the Ethnobotanical Research</b>	
Erika FRIEDL Old plants and new woman in the Zagros Mountains, Iran .....	475
Martina Aruna PADMANABHAN Governing the use and conservation of agricultural biodiversity: Institutional and gender analysis of rice cultivation in South India .....	483
Begum SHAHEEN and Mohammad Adnan SAHIBZADA Role of women in collection, processing and marketing of medicinal plants in Roringar Valley, Swat, Pakistan .....	491

Nancy J. TURNER “Those Women of Yesteryear”: Woman and production of edible seaweed ( <i>Porphyra abbotiae</i> ) in Coastal British Columbia, Canada .....	499
<b>PANEL 9: Conservation and Development: Ethnobotanical Discipline at Ethical and Professional Crossroads</b>	
Anil K. GUPTA Ethical issues in accessing people’s knowledge and innovations for developing low cost health technologies .....	507
Sarah-Lan MATHEZ STIEFEL and Madyo D.N. COUTO Linking applied ethnobotany to social learning: A participatory tool for the promotion of indigenous plants use in Matutuíne, Southern Mozambique .....	517
<b>PANEL 10: Theory and Methodology in the Study of Ethnobotany</b>	
Montse RIGAT, M. Àngels BONET, Sònia GARCIA, Teresa GARNATJE, Joan VALLÈS Ethnobotanical studies in the High River Ter Valley (Pyrenees, Catalonia, Iberian Peninsula) .....	523
Ignazio CAMARDA Ethno-systematic of Sardinian flora as a scientific system .....	527
Dora CENTURION-HIDALGO, Jaime Gabriel CAZARES-CAMERO, Judith ESPINOSA-MORENO, and Alberto MAYO-MOSQUEDA Ethnobotanical study of Arecaceae of Tabasco’s Sierra of Mexico .....	531
Melissa CEUTERICK and Patrick VAN DAMME Indigenous use, nomenclature and classification of plants in a Nahuatl-speaking village in the Balsas-Basin, Guerrero, Mexico .....	533
César del C. LUNA-MORALES Science, traditional knowledge and ethnobotany .....	537
Maryum Ibrar SHINWARI and Muhammad Ibrar SHINWARI Nomenclatural ambiguity found about herbal crude drug material used in <i>Unani</i> Medicines of Pakistan ...	541
<b>PANEL 11: Transmission, Contact and Exchange of Plant Resources and Knowledge Between Regions: Historical and Contemporary Approaches</b>	
Amélia FRAZAO-MOREIRA Arabic Gum: From its historical importance in the global markets to its contemporary significance in the local context of Mauritania .....	545
Stefanie KLAPPA Sago and the settling of Sahul: how present patterns of plant use may illuminate subsistence prehistory ...	551
Carlos R. RAMIREZ SOSA Quantitative ethnobotany in El Salvador, Central America: A model to study ethnobotanical knowledge dynamics .....	557
Özge SAMANCI Vegetable Patrimony of the Ottoman Culinary Culture .....	565
<b>BROAD SPECTRUM STUDIES</b>	
Hugo J. DE BOER and Anneleen KOOL Ethnobotany at Uppsala University .....	571
Ali A. DÖNMEZ and S. Olga BAYRAKTAROĞLU Plants of the <i>İnce Memed</i> : A novel written by Yaşar Kemal .....	573
Ali A. DÖNMEZ, Emel OYBAK DÖNMEZ, and Serap IŞIK Cultivation of the saffron ( <i>Crocus sativus</i> L.) in Türkiye and saffron stories .....	577

Gizem EMRE BULUT and Ertan TUZLACI An ethnobotanical study in Bozcaada (Çanakkale-Turkey) .....	581
Fatma GÜNEŞ The ethnobotanical importance of some <i>Lathyrus</i> (Fabaceae) species .....	585
İbrahim İlker ÖZYİĞİT, Nermin GÖZÜKIRMIZI, and Belma D. SEMİZ <i>Agrobacterium</i> -mediated transformation of cotton: <i>Gossypium hirsutum</i> L. “Çukurova 1518” from Turkey .....	589
Veerambakkam S. RAMACHANDRAN and Jaya VIJAYAN Contribution to the knowledge of non-timber products from tropical forests: A case study from Walayar Range, Palakkad district, Kerala, India .....	593
Parviz REZVANI MOGHADDAM and Motlagh AHMADZADEH Agronomical studies of black cumin ( <i>Nigella sativa</i> ) as a new crop in dry and semi dry agricultural system of Iran .....	597
Daiva SESKAUSKAITE Plants in Lithuanian Folk Songs .....	601
Serdar Gökhan ŞENOL, Özcan SEÇMEN, and Emin UĞURLU Some ethnobotanical uses in the rural areas of Ödemiş, Tire, Kiraz (İzmir-Turkey) .....	605
Tedje VAN ASSELDONK and Arend De HAAS Spontaneous foraging behavior of primates in outdoor enclosures .....	609
Şinasi YILDIRIMLI, Aslı DOĞRU KOCA, and Muhittin DİNÇ The Turkish folk plant names and some uses .....	613
<b>CATALOGUE OF THE BASKETRY EXHIBITION .....</b>	<b>617</b>
Dario NOVELLINO and Z. Füsün ERTUĞ General Introduction “Baskets of the World” the Social Significance of Plaited Crafts .....	619
Dario NOVELLINO An introduction to basketry in Island Southeast Asia .....	621
The Philippines (Oriental Mindoro) .....	626
The Philippines (Southern Palawan) .....	628
The Philippines (Northern-Central Palawan) .....	631
Borneo-Indonesia (West/Central Kalimantan) .....	634
Rajinda K. PURI Indonesia (East Kalimantan) .....	636
Rachel CHUA Eastern Malaysia (Sabah) .....	638
Roy F. ELLEN Indonesia, the Moluccas (South Central Seram) .....	640
Sonia VOUGIOUKALOU An introduction to basketry in Polynesia .....	643
Polynesia, South Pacific (The Cook Islands) .....	645
Mary BUTCHER An introduction to basketry in Japan .....	646
Japan (Kyushu Island) .....	648

Belle ASANTE	
An introduction to basketry in Africa .....	649
Africa (Ethiopia) .....	653
M. El HAOUZI and Gary J. MARTIN	
Africa (Morocco) .....	655
Maurice BICHARD	
An introduction to basketry in the Mediterranean .....	658
Dario NOVELLINO	
Central Italy (Maranola) .....	664
Francesco MINONNE, Concetta MELE, Antonella ALBANO, and Silvano MARCHIORI	
Salento (Apulia), Southern Italy .....	668
Ana Maria CARVALHO	
Northeastern Portugal (Trás-os-Montes) .....	669
José M. RAMIRO GUTIÉRREZ, M. Reyes GONZÁLEZ-TEJERO, and Cristina P. SÁNCHEZ ROJAS	
Spain (Huelva Province) .....	671
Z. Füsün ERTUĞ	
Turkey .....	673
Turkey (Aksaray) .....	677
Turkey (Buldan-Denizli) .....	678
Turkey (Bodrum-Muğla) .....	679
Mesut KIRMACI, Zahide ŞAHİN, and Serhat MANAV	
Turkey (Aydın) .....	680
Hasan AKAN	
Turkey (Mardin) .....	682
Josephine POWELL	
Turkey (Anatolia) .....	683
Mary BUTCHER	
An introduction to basketry in Eastern and Central Europe .....	684
Daiva ŠEŠKAUSKAITĖ	
Lithuania (Sargeliai) .....	688
<b>Index of the Authors and Organizers .....</b>	<b>691</b>

## Management, biology and cultural importance of a wild food species in the Tehuacán Cuicatlán Valley, Mexico: The case of *Enterolobium cyclocarpum*<sup>1</sup>

GIOVANNINI, Peter

Centre for Pharmacognosy and Phytotherapy, The School of Pharmacy, University of London, 29-39 Brunswick Sq. London WC1N 1AX, UK. peter.giovannini@gmail.com

**Key words:** *Enterolobium cyclocarpum*, *in situ* plant management, wild food, Tehuacán-Cuicatlán valley, Mexico

Plant management is a form of human-plant interaction comprising a set of specific human practices manipulating plant species. *In situ* management (i.e. within a species' natural *habitat* and populations) includes strategies such as gathering, tolerance, enhancement, and protection (Casas et al. 1997a).

Casas and Caballero (1996) showed that artificial selection, carried out on *in situ* managed species, can modify the phenotypic and genotypic structures of plant populations. They suggested that *in situ* artificial selection could be a possible route of domestication for species that are not prone to be domesticated under cultivation (*ex situ* management) because of biological characteristics such as long life cycle and cross-pollination. In some cases species that are scarcely available in the wild are managed more intensively (Casas et al. 1997b).

In this paper I focus on a specific case study of *in situ* plant management in order to answer the following questions: Does *in situ* management modify the phenotypic and genotypic structures of plant populations? Or do different grades of intensity exist, and therefore different effects on its populations, even within the same form of plant management? What are the effects of *in situ* management on a species of secondary economic importance? How do biological and cultural constraints limit and shape plant management? This case study focuses on the management of the tree

*Enterolobium cyclocarpum* (ENCY) in two communities of the Tehuacán-Cuicatlán valley, Oaxaca, Mexico. In the study area ENCY seeds are eaten and its wood used for construction.

### Methods

Open interviews were carried out in the communities of Santa Maria Tecomavaca and San Martin Toxpalan in order to determine the local uses of ENCY, and to determine if cultural preferences existed for certain morphological variants. A free-listing exercise on wild food plants was used to assess the relative importance of ENCY as a wild food in the two communities (n=32 in S.M. Tecomavaca, n=36 in S.M. Toxpalan). Finally, in a survey wild and managed ENCY were identified and localized, and a set of morphological characters of both wild and managed ENCY were sampled. The ethnobotanical information collected in the first phase served as a guide to establish the set of biological characters to be sampled (Table 1).

The measurement of the biological characters (Table 1), was conducted on wild trees growing in San Martin Toxpalan (n=20) and tolerated trees growing in Santa Maria Tecomavaca (n=19). Wild trees growing in San Martin Toxpalan were chosen since in Santa Maria Tecomavaca, where the study was started, the fertile wild population was too small (n=8). Ten randomly selected fruits were measured for each tree sampled. The canopy was assumed to have an elliptic shape and its area

<sup>1</sup> This paper is a summary of a thesis (Giovannini 2004) submitted in partial fulfilment of the requirements for the degree of Master of Science in Ethnobotany at Department of Anthropology, University of Kent at Canterbury.

calculated by means of a mathematical formula. These data were used to build a basic data matrix of 39 trees \* 10 state characters. The mean values of the measures were used as state characters. A Principal Component Analysis (PCA) was performed on the standardized basic data matrix by means of the computer program NTSYS-PC 1.8 (Rohlf 1993).

**Table 1.** Set of biological characters of wild and tolerated *E. cyclocarpum* sampled in Santa Maria Tecomavaca and San Martin Toxpalan

Biological character
Pod perimeter
Pod weight
Pod thickness
Number of seeds per pod
Maximum seed height
Maximum seed width
Maximum seed thickness
Maximum seed chamber height
Maximum seed chamber width
Canopy of the tree

## Results

### *Wild food plants in the study area and survey of wild and tolerated populations of ENCY*

The free-listing data in both communities gave an overview of the most important wild food plants for each community. When the plants listed by all the informants are ranked according to Smith's index<sup>2</sup> (Smith 1993), ENCY (locally known as "Nacastle") ranks 19<sup>th</sup> in San Martin Toxpalan, and 44<sup>th</sup> in Santa Maria Tecomavaca. Consensus analysis shows high consensus between informants of the same community (Table 2). Wild and tolerated populations of ENCY counted during the surveys are also shown in Table 2.

**Table 2.** The results of the Freelisting on wild food plants and of the survey

	S.M. Tecomavaca	S.M. Toxpalan
Freelist ranking	44 <sup>th</sup>	19 <sup>th</sup>
Agreement (ratio of 1 <sup>st</sup> to 2 <sup>nd</sup> Eigen value)	18.9	18.9
Wild <i>E. cyclocarpum</i>	8	27
Tolerated <i>E. cyclocarpum</i>	27	40

### *Biological sampling (PCA)*

The Eigen-values of the first three principal components, calculated by means of multivariate analysis, explain 48%, 20%, and 10% of the biological character's total variance, respectively. In total, the first three principal components explain about 77% of the total variance observed in the variables, while each one of the other components computed account for less than 10% of the total variance.

**Table 3.** The loading of the characters measured in each principal component


Character	Component		
	C1	C2	C3
Fruit weight	0.84	0.48	0.14
Pod perimeter	0.84	0.40	0.22
Pod thickness	0.62	-0.00	0.36
Seed chamber height	0.83	-0.27	-0.30
Seed chamber width	0.82	-0.41	-0.03
Number of seeds per pod	0.20	0.93	0.17
Maximum seed width	0.87	-0.35	0.07
Maximum seed height	0.87	-0.23	-0.17
Maximum seed thickness	0.22	0.41	-0.49
Canopy	0.14	0.36	-0.62

The loading of the characters measured in each principal component (Table 3) suggests that:

- The first principal component is correlated with pod and seed sizes. It groups together pod weight, pod perimeter, maximum seed width, maximum seed height, seed chamber width, and seed chamber height.
- The number of seeds per pod is the character that has a major weight in the second principal component.
- The third principal component is mainly determined by canopy and seed thickness characters.

The projection of the sampled trees in the space defined respectively by the first and second, and the first and third, principal component shows clusters of trees that are both wild and managed (Fig. 1).

<sup>2</sup> Smith's index is a measure of salience that takes into account both the frequency, and the order with which items are listed (Borgatti 1996).



**Fig. 1** Principal component analysis on the 39 sampled trees: Each sampled individual of *E. cyclocarpum* is projected in the space defined by the first and second principal component (on the left) and by the first and third principal component (on the right). Each empty dot represents a wild tree, each black (filled) dot represents a tolerated tree. The variation of the biological characteristics of the trees within the two dimensions, indicated by the arrows, are deduced from the basic data matrix containing the mean values of the morphological characters measured in managed and wild individuals of *E. cyclocarpum*, and from the eigen vector matrix with the loading of each character in the three principal components. The scales on the X and Y axis do not refer to these variations.

## Discussion

In both communities there is little management of ENCY and this largely relates to tolerating some as shade-trees on cultivated land. When peasants decide to tolerate or cut a tree they are not considering fruit or seed characteristics. Accordingly, the biological sampling showed that tolerated trees of ENCY in Santa Maria Tecomavaca do not show any pattern of morphological variation of the edible fruit when compared to wild trees. Rather, it seems that trees with a larger canopy are preferred. These spared trees are probably older than the wild trees, rather than genetically different.

In spite of the intraspecific variability of ENCY, as shown in the analysis of the biological samples, peasants do not show any interest in “improving” the species by means of artificial selection. Informants claimed that there is no need to select for or against characters such as size, colour, and taste, because for them “they are all the same”. Moreover, as one informant pointed out, because of its scarce commercial value, “there is no need to make it more attractive or appealing to the people. On the contrary of cash crops such as lemon and mango, where characters such as colour and size can influence their market value” (Hernandez, personal communication).

The species’ long lifecycle, and its mode of reproduction by means of insect pollination, are further elements that do not provide an incentive for the artificial selection of desired phenotypes.

This is probably the reason why a processing technique, the roasting of ENCY seeds by means of hot embers and ashes, has been elaborated to overcome the hardness of the seed coat, instead of selecting against this character. The surveys indicated that both wild and tolerated ENCY are more abundant in San Martin Toxpalan than in Santa Maria Tecomavaca, this is probably due to both slightly different climatic and ecological conditions and different patterns of use (where the edible fruit is less appreciated, the tree has been apparently logged for wood). Moreover, qualitative data suggested that local production of ENCY fruits largely meet local demand in both communities. Further support for this interpretation is given by informants when enquiring about the scarce management of ENCY: “there always are enough fruits left in the soil” and no need for more. The Mazatec lexeme for ENCY “ya-to-ffa”, meaning literally “tree of many seeds”, is an indication of the perceived abundance of seeds produced by this species. In this case the biological characteristics of the species, its high productivity, and their perception by local people, create an adequate *supply* of the resource and no incentive for more intensive management.

In conclusion, this case studies shows that “biological constraints and human motivation” (Johns 1996:198) are both key factors in shaping plant management. The cultural significance of a species influences people’s *demand* for it, while

biological characteristics determine its spatial and temporal availability (the *supply*) and the kind of management that people can exert on it. *In situ* management of a plant species, even if not necessarily leading to genotypic changes, could help to conserve its genetic pool and populations. Indeed the species was found to be more abundant in the community where its economic importance was higher.

### Acknowledgements

I am grateful to the inhabitants of Santa Maria Tecomavaca and San Martin Toxpalan for the help, time, and generosity shown to me during this research project. In particular I would like to thank my local guides for their interest and

contribution throughout this study, and for their friendship. My thanks go to all the staff of the department of Anthropology of the University of Kent who introduced me to this fascinating discipline. Thanks to Gary Martin and Serena Heckler for the supervision of this research project. Thanks to Michael Heinrich for comments on the draft of this paper. Thanks to Michael Fischer for help with the statistics. Thanks to Javier Caballero and Martha Sofia González-Insuasti, from the botanic garden of the Universidad Nacional Autónoma de México, for the local supervision of this research project. Thanks to Lourdes Rico from Kew Royal Botanic Garden for her help and advices. Thanks to the Global Diversity Foundation for the travel grant I received to carry out this research project. Thanks to Ian Fitzpatrick for support and comments on the paper. Finally thanks to all my family for their constant and unconditional support.

### Literature Cited

- Borgatti, S.** 1996. ANTHROPAC 4.0 Methods guide. Natick, Analytic Technologies, Massachusetts.
- Casas, A., and J. Caballero.** 1996. Traditional management and morphological variation in *Leucaena esculenta* (Fabaceae: Mimosoideae) in the Mixtec region of Guerrero, Mexico. *Economic Botany* 50(2): 167-181.
- , **J. Caballero, C. Mapes, and S. Zárate.** 1997a. Manejo de la vegetación, domesticación de plantas y origen de la agricultura en mesoamérica. *Boletín Sociedad Botánica de México* 61:31-47.
- , **B. Pickersgill, J. Caballero, and A. Valiente-Banuet.** 1997b. Ethnobotany and domestication in Xoconochtli, *Stenocereus stellatus* (Cactaceae) in the Tehuacán Cuicatlán valley and la Mixteca Baja, Mexico. *Economic Botany* 51(3):279-292.
- Giovannini, P.** 2004. Management and cultural importance of *Enterolobium cyclocarpum* in two communities of Tehuacán-Cuicatlán valley, Mexico. MSc dissertation, University of Kent, UK.
- Johns, T.** 1996. The origin of human diet and medicine. University of Arizona Press, Tucson.
- Rohlf, J.J.** 1993. Numerical Taxonomy and multivariate analysis System for the IBM PC microcomputer (and compatibles). Applied Biostatistics Inc., New York.
- Smith, J.J.** 1993. Using ANTHROPAC 3.5 and a Spreadsheet to compute a Free List Saliency Index. *Cultural Anthropology Methods* 5(3):1-3.